

ELATION FUZE PENDANT HW: DMX TRAITS

Supports Software Versions: ≥ V1.01A

Dimmer 1CH	Color 4CH	RGBWL 5CH	16bit 10CH	Standard 10CH	Extended 17CH	HSI 4CH	HSI 9CH	DMX Value	Function
									strobe
								0-31	Closed
								32- 63	Open
				1	1		1	64-95	Strobe (slow → fast)
								96-127	Open
								129-159	Pulse (slow → fast)
								160-191	Open
								192-223	Random (slow → fast)
								224-255	Open
						1	2	0-255	Intensity 0 → 100%
						2	3	0-255	Intensity Fine 0 → 100%
1	1			2	2			0-255	Dimmer 0 → 100%
	2			3	3			0-255	Dimmer Fine 0 → 100%
						3	4	0-255	Hue
						4	5	0-255	Saturation
		1	1	4	4			0-255	Red 0 → 100%
			2		5			0-255	Red Fine 0 → 100%
		2	3	5	6			0-255	Green 0 → 100%
			4		7			0-255	Green Fine 0 → 100%
		3	5	6	8			0-255	Blue 0 → 100%
			6		9			0-255	Blue Fine 0 → 100%
		4	7		10			0-255	White 0 → 100%
			8		11			0-255	White Fine 0 → 100%
		5	9		12			0-255	Lime 0 → 100%
			10		13			0-255	Lime Fine 0 → 100%
									CTO
	3			7	14		6	0-23	Open
								24-85	CTO 2400K - 8500K (see Color Temperature Table)
								86-255	8500K
									Color Wheel
								0	Open
								1-179	Virtual Swatch Book (see Virtual Gel Swatch Table)
									Color Scroll
								180-201	Clockwise, fast → slow
								202-207	Stop
								208-229	Counter-clockwise slow → fast
								230-234	Open
									Random Slots
								235-239	Fast
								240-244	Medium
								245-249	Slow
								250-255	Open

ELATION FUZE PENDANT HW: DMX TRAITS

Supports Software Versions: ≥ V1.01A

Dimmer 1CH	Color 4CH	RGBWL 5CH	16bit 10CH	Standard 10CH	Extended 17CH	HSI 4CH	HSI 9CH	DMX Value	Function
									Dim Modes
								0-20	Standard
								21-40	Stage
								41-60	TV
								61-80	Architectural
								81-100	Theatre
								101-120	Stage 2
									Dimmer Delay Time
								121	0s
								122	0.1s
								123	0.2s
								124	0.3s
								125	0.4s
								126	0.5s
				9	16		8	127	0.6s
								128	0.7s
								129	0.8s
								130	0.9s
								131	1.0s
								132	1.5s
								133	2.0s
								134	3.0s
								135	4.0s
								136	5.0s
								137	6.0s
								138	7.0s
								139	8.0s
								140	9.0s
								141	10s
								142-255	Idle

ELATION FUZE PENDANT HW: DMX TRAITS

Supports Software Versions: ≥ V1.01A

Dimmer 1CH	Color 4CH	RGBWL 5CH	16bit 10CH	Standard 10CH	Extended 17CH	HSI 4CH	HSI 9CH	DMX Value	Function
									Control
								0-99	Idle
									Change Refresh Rate (Hz) (Hold 1s)
								100	900
								101	910
								102	920
								103	930
								104	940
								105	950
								106	960
								107	970
								108	980
								109	990
								110	1000
								111	1010
								112	1020
								113	1030
								114	1040
								115	1050
								116	1060
				10	17		9	117	1070
								118	1080
								119	1090
								120	1100
								121	1110
								122	1120
								123	1130
								124	1140
								125	1150
								126	1160
								127	1170
								128	1180
								129	1190
								130	1200
								131	1210
								132	1220
								133	1230
								134	1240
								135	1250
								136	1260
								137	1270
								138	1280
								139	1290

ELATION FUZE PENDANT HW: DMX TRAITS

Supports Software Versions: ≥ V1.01A

Dimmer 1CH	Color 4CH	RGBWL 5CH	16bit 10CH	Standard 10CH	Extended 17CH	HSI 4CH	HSI 9CH	DMX Value	Function
								140	1300
								141	1310
								142	1320
								143	1330
								144	1340
								145	1350
								146	1360
								147	1370
								148	1380
								149	1390
								150	1400
								151	1410
								152	1420
								153	1430
								154	1440
								155	1450
								156	1460
								157	1470
								158	1480
								159	1490
								160	1500
								161	2500
								162	4000
				10	17		9	163	5000
								164	6000
								165	10000
								166	15000
								167	20000
								168	25000
								169-200	Idle
								201-210	Dimmer Curve Linear (default)
								211-220	Dimmer Curve Square
								221-230	Dimmer Curve Inverse Square
								231-240	Dimmer Curve S-Curve
								241	Internal program 1 (Scene 1-8)
								242	Internal program 2 (Scene 9-16)
								243	Internal program 3 (Scene 17-24)
								244	Internal program 4 (Scene 25-32)
								245	Internal program 5 (Scene 33-40)
								246	Internal program 6 (Scene 41-48)
								247	Internal program 7 (Scene 49-56)
								248-255	Idle