




Pixel Tape 40IP

The Pixel Tape 40IP™ is an IP65, outdoor rated, 22.3 foot (6.8m) flexible LED pixel tape featuring (170) RGB SMD tri-color LED pixels (510 total DMX channels), producing over 1 billion color possibilities with a 120° viewing angle, and is surface coated with an IP65 rated PC glue. Pixel Tape 40IP's can be powered and controlled using our Pixel Driver 170, Pixel Driver 1000IP, or Pixel Driver 4000 V2. Tapes include 3M Outdoor Adhesive.

ELATION | PIXEL TAPE 16IP™ | Product Specification Sheet




*Flex Channel Low Profile (FCLP01)



*Flex Channel Recessed Profile (FCRF02)



*Flex Channel Tall Profile (FCTP03)



*Please note that these Flex Channels are optional accessories for the Elation Pixel Tape 40, and are purchased separately.

*PIX-AD3 Adapter



*Please note that the PIX-AD3 Adapter Cable is an optional accessories for the Elation Pixel Tape 16, and is purchased



PRODUCT SPECIFICATIONS

SOURCE:

APA102/RGB

LIGHT OUTPUT:

475 Lumens

OPERATING VOLTAGE:

DC24V

POWER CONSUMPTION:

35W Max.

LED SPACING:

40mm

PER TAPE QUANTITY:

170 pieces

MAXIMUM TAPE RUNS:

3 Tapes


CONTROL SYSTEMS:

DMX512, ARTNET, sACN, and KlingNet

IP RATED:

IP65


PIXEL TAPE DIMENSION



PRODUCT ORDERING CODES

ORDER CODE	ITEM
PIX618	PIXEL TAPE 16IP
PIX600	PIXEL TAPE 40IP
PIX124	PIX AD3 Adapter Cable
PIX170	PIXEL DRIVER 170
PIX301	PIXEL DRIVER 1000IP
PIX277	PIXEL DRIVER 4000 V2
FCLP01	FLEX CHANNEL LOW PROFILE
FCRF02	FLEX CHANNEL RECESSED
FCRFML	FLEX CHANNEL RECESSED OPAL LENS
FCRFFL	FLEX CHANNEL RECESSED FROSTED LENS
FCTP03	FLEX CHANNEL TALL PROFILE
FCTP24	FLEX CHANNEL TALL PROFILE OPAL LENS
FCTP12	FLEX CHANNEL TALL PROFILE FROSTED LENS

PIXEL TAPE 40IP



PIXEL DRIVER CONNECTION DIAGRAMS

