

Mike Wood Consulting LLC

3705 Ebony Hollow Pass, Austin, TX 78739

Phone: (512) 288-4916

Cell: (512) 656-6377

www.mikewoodconsulting.com

Megalite Followbot Compact 1000 LED

October 15, 2024

Electrical

Voltage: 120 V AC, 60 Hz

Power: 1249 W

VA: 1262 VA

Current: 10.7A

PF: 0.99

Output at full.

	Lumens at full output	Efficacy
Narrow Angle	31741	25 lm/W
Wide Angle	29310	23 lm/W

Color Rendering - White LED Narrow Angle

CCT: 8196 K


Duv: -0.0015

CRI (Ra): 72



TM-30 Rf: 71

TM-30 Rg: 95

Spectrum



Color Rendering



Color Rendering - White LED Wide Angle

CCT: 8537 K


Duv: -0.0020

CRI (Ra): 74



TM-30 Rf: 72

TM-30 Rg: 95

Spectrum



Color Rendering



Color Rendering - White LED Wide Angle + CT1 Filter

CCT: 6391 K


Duv: 0.0012

CRI (Ra): 72



TM-30 Rf: 72

TM-30 Rg: 95

Spectrum



Color Rendering



Color Rendering - White LED Wide Angle + CT2 Filter

CCT: 5336 K


Duv: 0.0072

CRI (Ra): 69



TM-30 Rf: 72

TM-30 Rg: 93

Spectrum



Color Rendering



Color Rendering - White LED Wide Angle + CT3 Filter

CCT: 3343 K

Duv: 0.0056

CRI (Ra): 68



TM-30 Rf: 72

TM-30 Rg: 93

Spectrum







Color Rendering



Full Output All Emitters - Narrow

Lumens at full output Narrow Angle: 31741 lm



Full Output All Emitters - Wide

Lumens at full output Wide Angle: 29310 lm

