

Aero Mini

Product Details

elektraLite

OVERVIEW

Product Name

Aero Mini

Model Number

AEROM

Product Families

Aero, Mini

Product Type(s)

Moving Head

Applications

Education, Entertainment, House of Worship, Live Events, Theater

**Description**

A professional-grade moving light fixture, the Aero Mini is ideal for any environment requiring a mover at a competitive price point, from churches and schools to theaters, performing arts centers, and corporate events. Compact enough for tight spaces, it is a full-featured tool that fits the bill when strong intensity, reliability, and diversity are key.

SOURCE

Light Source

LED

Number of Cells

Single source

Light Engine

Single 100-watt COB LED module
Liquid-cooled engine
Near-silent operation for quiet spaces

COLOR

Color Variations

Cool White 9000°K

Color Mixing Wheel

1 color wheel with 7 colors plus white

CRI or TM-30

95 CRI



elektraLite

70 Sea Lane, Farmingdale, NY 11735
elektralitesupport@g1limited.com
631-396-0184

myelektralite.com

Aero Mini

Product Details

elektraLite

OPTICAL

Pan and Tilt

Pan (540°) and Tilt (270°)
With Fine Tuning Channels

Lens Options

14° lensing

Effects

Five-Way Prism with Rotation

ELECTRICAL

Total Power Consumption

(This is not the in-rush current)
115 watts @ 120v

Voltage Range

AC 100-250V – 50/60Hz

Input Method

PowerCon for both in and through

CONTROL

DMX Profile & Manual Control

Please [email us](#) to request DMX Profiles
and Photometrics

Input Method

DMX-512 (in and thru) via 5-pin XLR
Built-in wireless DMX

RDM

Remote Device Management (RDM)

Local Control

Yes

Display

LCD with text display

UI Type

4-button navigation control

Dimming

16 bit, DMX controlled

Refresh Rate

Adjustable PWM in 0.1K increments



elektraLite

70 Sea Lane, Farmingdale, NY 11735
elektralitesupport@g1limited.com
631-396-0184

myelektralite.com

Aero Mini

Product Details



PHYSICAL

Housing

Steel H frame chassis with ABS plastic outer surround

Materials

Steel, aluminum, and ABS plastic

Mounting Method

Standard U clamp with quarter turn cam locks

Dimensions

	Length	Width	Height	Weight
Fixture Only (Vertical)	10.5" (27 cm)	7.5" (19 cm)	14.5" (37 cm)	14 lbs / 6.4 Kgs
Fixture Only (Horizontal)	10.5" (27 cm)	7.5" (19 cm)	14" (36 cm)	14 lbs / 6.4 Kgs
Shipping Box	15" (38 cm)	12.5" (32 cm)	12" (31 cm)	17 lbs / 8 Kgs

REGULATORY

IP Rating

IP20

OPTIONS

Accessories

- (6) Interchangeable Rotating Gobos with Fine Tuning
(indexing included for rotating gobos)

Fixture Color

Black (Other colors available by request)



elektraLite

70 Sea Lane, Farmingdale, NY 11735

elektralitesupport@g1limited.com

631-396-0184

myelektralite.com